

# INDEX TO VOLUME 77

## A

- Abbott, Ian, L. K. Abbott, and P. R. Grant, Seed selection and handling ability of four species of Darwin's finches, 332-335
- Abbott, L. K., see Abbott, Ian
- Able, Kenneth P., and Sidney A. Gauthreaux, Jr., Quantification of nocturnal passerine migration with a portable celimeter, 92-96
- Abraham, R. L., see Siegfried, W. R.
- Accipiter albogularis, 16, 22
- cooperii, 77, 82, 133, 282
- gentilis, 282
- melanochlamys, 16
- nisus, 480
- novaeollandiae, 16, 22
- striatus, 77, 82, 133, 282
- Aceros plicatus, 21-22
- Acridotheres tristis, 514-515
- Acrocephalus stentoreus, 18, 22
- Actitis macularia, 283
- Adkisson, Curtis, S., see Conner, Richard N.
- Aechmophorus occidentalis, 281
- Aechmorrhynchus cancellatus, 515
- Aegithalos caudatus, 237
- Aegolius acadicus, 78, 283
- Aeronautes saxatalis, 287
- Agelaius phoeniceus, 40-43, 74-76, 86, 120, 252-253, 256, 258, 264, 286, 289, 328-331, 434, 506-509
- tricolor, 120, 259
- Aimophila cassinii, 200
- ruficauda, 314
- Aix sponsa, 286
- Alcedo atthis, 21-22
- Alectoris graeca, 321
- Amadina fasciata, 314
- Amaurimnas concolor, 101
- Amazilia franciae, 314
- rutila, 216-217
- Amazona albifrons, 350
- Anas acuta, 30, 281
- americana, 282
- bahamensis, 107
- clypeata, 31, 282
- crecca, 282
- cyanoptera, 282, 340
- discors, 210, 282
- flavirostris, 105
- georgica, 105
- platyrhynchus, 214, 281, 340, 475-478
- puna, 105, 327
- strepera, 286
- supercilliosa, 21-22
- Andropadus latirostris, 314
- Ani, Groove-billed, 70, 306-307
- Smooth-billed, 63, 65, 70, 314
- Anous stolidus, 107
- Antbird, Bicolored, 307, 458
- Dot-backed, 98
- Plumbeous, 98, 458
- Anthus correndera, 219
- pratensis, 435
- spinoletta, 76-77, 213, 285
- trivialis, 237, 239
- Antshrike, Black-hooded, 307
- Cinereous, 99, 460
- Antwren, Slaty, 307
- Apalis thoracica, 262
- Aplonis cantoroides, 19-22

- grandis, 19-20, 23
- metallica, 19-21, 23
- Aptenodytes forsteri, 276
- patagonica, 276
- Aquila chrysaetos, 133, 206-208, 351-352
- Ara manilata, 98
- severa, 98
- Archilochus alexandri, 283
- colubris, 201-202
- Ardea cinerea, 477
- Arenaria interpres, 31, 219
- melanocephala, 76, 485
- Arnheim, Norman, see Nolan, Richard A.
- Arremonops rufivirgatus, 308
- Asio flammeus, 73, 78-82, 133, 287
- otus, 79-82, 133, 287
- Asyndesmus lewis, 283
- Atthis heloisa, 201
- Atticora cyanoleuca, 314
- Attila spadiceus, 307
- Attila, Bright-rumped, 307
- Automolus ochrolaemus, 307, 309
- Avocet, America, 31
- Aythya Affinis, 282
- americana, 282, 340
- collaris, 282
- marila, 282
- valisineria, 282

## B

- Bailey, Edgar P., Discovery of a Golden Eagle nest on the Alaska peninsula, 207-208
- Baldwin, Paul H., see Beaver, Donald L.
- Bananaquit, 344
- Banks, Richard C., Plumage variation in the Masked Bobwhite, 486
- Barclay, H. J., and A. T. Bergerud, Demography and behavioral ecology of California Quail on Vancouver Island, 315-323
- Bartramia longicauda, 206
- Basileuterus rivularis, 308
- Batt, Bruce D. J., James A. Cooper, and George A. Cornwell, The occurrence of twin waterfowl embryos, 214
- Beaver, Donald L., and Paul H. Baldwin, Ecological overlap and the problem of competition and sympatry in the Western and Hammond's flycatchers, 1-13
- Becard, Rose-throated, 221
- White-winged, 307
- Bentbill, Northern, 308
- Berenicornis albo-cristatus, 314
- Bergerud, A. T., see Barclay, H. J.
- Bittern, American, 281
- Blackbird, Brewer's, 286, 331
- European, 233, 237, 239, 400
- Red-breasted, 101-102
- Red-winged, 40-43, 74-76, 86, 120, 252-253, 256, 258, 264, 286, 289, 328-331, 434, 506-509
- Rusty, 207
- Tricolored, 120, 259
- Yellow-headed, 252, 256-257, 261, 286, 328-331, 355
- Bluebird, 169
- Mountain, 213, 285
- Western, 76, 285
- Bobolink, 105-106, 286

- Bobwhite, 107, 321, 486  
 Masked, 486-487  
*Bombycilla cedrorum*, 169-170, 252-253, 258, 263, 285  
*garrulus*, 287  
*Bonasa umbellus*, 161, 283  
 Booby, Masked, 289  
 Borror, Donald J., Songs of the Rufous-sided Towhee, 183-195  
*Botaurus lentiginosus*, 281  
*Brachyramphus brevirostris*, 500-501  
*marmoratus*, 500  
*Branta canadensis*, 214, 286, 478-480  
 Braun, Clait E., see Marti, Carl D.  
*Brotogeris cyanoptera*, 458, 462  
*sanctithomae*, 98  
 Brush, Alan H., see Nolan, Richard A.  
*Bubo virginianus*, 80, 82, 133, 222, 224-226, 283, 502-505  
*Bubulcus ibis*, 289, 353  
*Bucephala albeola*, 206, 282  
*clangula*, 282  
*islandica*, 206, 282  
 Budgerigar, 381, 419  
 Bufflehead, 206, 282  
 Bullfinch, 305  
 Puerto Rican, 344  
 Bunting, Indigo, 252, 302, 395, 398, 509-510  
 Lazuli, 286, 509-510  
 Snow, 210-212, 288-289  
*Burhinus bistriatus*, 353-354  
 Bushtit, 90-91  
*Buteo jamaicensis*, 77, 82, 127, 133-139, 282, 351, 480-482, 484  
*lagopus*, 338-339, 351-352  
*lineatus*, 77, 133-139, 480  
*nitidus*, 354  
*platypterus*, 229  
*regalis*, 351-352  
*swainsoni*, 133, 282  
*Bycanistes brevis*, 314  
*bucinator*, 314  
*cylindricus*, 314  
*subcylindricus*, 314

## C

- Cacatua ducorpsi*, 17, 22  
*Cacicus cela*, 458  
*uropygialis*, 308  
 Cacique, Scarlet-rumped, 308  
*Cacomantis castaneiventris*, 17  
*variolosus*, 14, 17  
*Cairina moschata*, 214  
*Calcaris lapponicus*, 210, 288, 289, 338  
*pictus*, 207  
 Calder, William A., see Waser, Nickolas A.  
*Calidris alba*, 30, 74, 76, 81-82, 107  
*alpina*, 73-78, 80-82  
*bairdi*, 98, 105  
*fuscicollis*, 24, 107, 219  
*mauri*, 74, 76, 81-82  
*melanotos*, 24, 31, 77, 98  
*minutilla*, 73-78, 80-82, 98  
*Calothorax lucifer*, 201  
*Calypte anna*, 196-197, 201-202, 217  
*costae*, 202  
*Camarhynchus crassirostris*, 314  
 Campbell, R. Wayne, Hunting tactics of a Peregrine Falcon on Black Turnstones, 485  
*Campephaga phoenicea*, 314  
*Campylorhynchus brunneicapillus*, 34-45, 289, 301, 434  
*Canachites canadensis*, 91-92, 282  
 Canary, 382, 398  
 Canvasback, 282  
*Capella gallinago*, 76, 283  
*Capito niger*, 458  
*Caprimulgus europaeus*, 237  
*rufus*, 101  
 Caracara, Crested, 219  
 Yellow-headed, 101  
 Cardinal, 86, 145, 175, 252, 256, 258, 261, 301, 333, 385-399  
*Cardinalis cardinalis*, 86, 145, 175, 252, 256, 258, 261, 301, 333, 385-399  
*Carduelis cannabina*, 263  
*carduelis*, 237  
*chloris*, 333  
 Carib, Purple-throated, 140, 217  
*Carpodacus cassinii*, 286  
*mexicanus*, 76, 169, 173-174, 252, 257, 261, 375-384, 407-422  
*purpureus*, 252  
*Cassidix mexicanus*, 208-210, 289  
*Catoptrophorus semipalmatus*, 24, 74, 76-77  
 Catbird, Gray, 252-253, 262, 285, 301  
*Catharacta skua*, 219  
*maccormicki*, 274  
*Cathartes aura*, 133  
*Catharus fuscescens*, 10, 252, 285  
*guttatus*, 10, 21, 252, 285  
*ustulatus*, 210, 285  
*Catherpes mexicanus*, 301  
*Centropus grillii*, 70  
*Cephus columba*, 439, 492  
*Ceratogymna atrata*, 314  
*Certhia brachydactyla*, 400  
*familiaris*, 76, 237, 284, 400  
*Ceyx lepidus*, 18, 20-22  
 Chaetura, 107  
*brachyura*, 98  
*spinicauda*, 102  
*vauxi*, 102, 287  
 Chaffinch, 119, 145, 233, 237, 239, 333, 381, 395-397, 399, 402, 407  
*Charadrius alexandrinus*, 105  
*alticola*, 105  
*falklandicus*, 105  
*semipalmatus*, 105  
*vociferus*, 74-76, 78, 86, 127, 283, 487-488  
*Chauna torquata*, 97  
 Chat, Palm, 169-170  
 Chickadee, Black-capped, 175-182, 284  
 Boreal, 284  
 Chestnut-backed, 284  
 Gray-headed, 206  
 Mountain, 284  
 Chicken, Domestic, 154-159, 162, 214, 403, 515  
 Chingolo, 67, 106, 145, 147, 303, 314, 364, 397, 407  
*Chiroxiphia linearis*, 307  
*Chlidonia niger*, 283, 355  
*Chloephaga hybrida*, 219  
*picta*, 218  
*Chloroceryle americana*, 306  
*Chlorostilbon maugaeus*, 344  
*Chordeiles minor*, 283  
*Chrysococcyx caprius*, 314  
*klaas*, 314  
*lucidus*, 16, 18-19, 22  
 Chukar, 321  
 Cicada Bird, 18, 21, 22  
*Cinclodes fuscus*, 219

- Cinclodes*, Bar-winged, 219  
*Cinclus mexicanus*, 284  
*Cinnyris reichenowi*, 314  
*Circus aeruginosus*, 480  
     *cyaneus*, 32, 77, 81-82, 206, 222, 287, 351, 480  
     *pygargus*, 480  
*Cistothorus platensis*, 219, 301  
*Clamator cafer*, 314  
     *glandarius*, 314  
     *jacobinus*, 314  
 Clapp, Roger B., Arctic Terns from the Phoenix Islands and at sea in the Central Pacific, 100  
*Coccothraustes coccothraustes*, 237, 239, 333  
*Coccyzus americanus*, 62-66, 70-71, 252, 341  
     *erythrophthalmus*, 62-66, 70-71, 257, 264, 341  
     *melacoryphus*, 63  
     *pumilus*, 60-72  
 Cockatoo, Solomon White, 17, 22  
*Coereba flaveola*, 344  
*Colaptes auratus*, 86, 206, 283, 366  
     *cafer*, 127  
*Colinus virginianus*, 107, 321, 486  
*Colius colius*, 314  
     *striatus*, 314  
*Collocalia esculenta*, 18, 21-22  
     *spodiopygia*, 18, 22  
     *vanikorensis*, 18, 21, 22  
*Columba livia*, 86, 289, 381  
     *pallidiceps*, 15, 22  
     *palumbus*, 237  
     *vitiensis*, 15, 22  
*Columbina minuta*, 355-356  
     *passerina*, 305, 344, 355  
     *picui*, 98  
     *talpacoti*, 305-306  
 Conner, Richard N., Irvine D. Prather, and Curtis S. Adkisson, Common Raven and Starling reliance on sentinel Common Crows, 517  
*Conopophaga aurita*, 513  
     *castaneiceps*, 513  
     *lineata*, 513  
     *melanops*, 513  
     *roberti*, 513  
*Contopus sordidulus*, 1-13, 284  
     *virens*, 10-11  
 Cooper, James A., see Batt, Bruce D. J.  
 Coot, American, 74, 77, 80, 283, 325-326  
     *Giant*, 324-327  
     *Horned*, 324  
*Coracina caesia*, 314  
     *caledonica*, 15, 22  
     *holopolia*, 16, 18, 22  
     *lineata*, 18, 22  
     *novaeollandiae*, 18, 22  
     *papuensis*, 16, 18, 22  
     *tenuirostris*, 18, 21-22  
 Cormorant, Blue-eyed, 218  
     *Brandt's*, 439, 443, 445-446, 448  
     *Double-crested*, 207, 289, 431-438  
     *Great*, 243  
     *King*, 218  
     *Neotropic*, 218  
     *Pelagic*, 439, 492  
     *Rock*, 218  
 Cornwell, George W., see Batt, Bruce D. J.  
*Corvus brachyrhynchos*, 86, 284, 517  
     *caurinus*, 494  
     *corax*, 134, 284, 517  
     *corone*, 221  
     *monedula*, 211  
     *woodfordi*, 20, 23  
*Coturnix coturnix*, 122, 473  
*Courcal*, Black, 70  
 Coulter, Malcolm C., Post-breeding movements and mortality in the Western Gull, *Larus occidentalis*, 243-249  
 Cowbird, Brown-headed, 86, 120, 250-269, 286, 289  
 Crane, Gray-breasted, 97  
     *Uniform*, 101  
*Cranioleuca gutturalis*, 458  
 Creeper, Brown, 76, 237, 284, 400  
*Crex crex*, 237  
*Crocethia alba*, 107  
 Crockett, Allen B., and Harlo H. Hadow, Nest selection by Williamson and Red-naped Sapsuckers, 365-368  
*Crossbill*, Red, 221, 286  
     *White-winged*, 220-221, 286  
*Crotophaga ani*, 63, 65, 70, 314  
     *sulcirostris*, 70, 304, 307  
 Crow, Carrion, 221  
     *Common*, 86, 284, 517  
     *Northwestern*, 494  
     *Solomon*, 20, 23  
*Crypturellus bartletti*, 97  
     *cinnamomeus*, 303  
*Cuckoo*, Black-billed, 62-66, 70-71, 264, 341  
     *Brush*, 14, 17  
     *Common*, 237, 266, 314  
     *Dwarf*, 60-72  
     *Lesser Ground-*, 304  
     *Shining Bronze*, 16, 18-19, 22  
     *Squirrel*, 64, 458  
     *Yellow-billed*, 62-66, 70-71, 252, 341  
*Cuckoo-Shrike*, Barred-, 18, 22  
     *Black-faced*, 18, 22  
     *Melanesian*, 15, 22  
     *Papuan*, 16, 18, 22  
*Cuculus canorus*, 237, 266, 314  
*Curlew*, Long-billed, 76  
 Custer, Thomas W., and Frank A. Pitelka, Correction factors for digestion rates for prey taken by Snow Bunting (*Plectrophenax nivalis*), 210-212  
*Cyanerpes cyaneus*, 308  
*Cyanocitta cristata*, 252-253, 259, 264, 517  
     *stelleri*, 284  
*Cypseloides cherriei*, 101  
     *cryptus*, 102  
     *niger*, 102, 287  
     *rutilus*, 101, 352  

**D**

*Dacnis cayana*, 458  
*Deconychura longicauda*, 99  
 Demaree, Salome Ross, Observations on roof-nesting Killdeer, 487-488  
*Dendragapus obscurus*, 282, 423-430  
*Dendrocolaptes certhia*, 306  
*Dendrocopos major*, 237, 239  
     *medius*, 237  
     *minor*, 233, 237  
     *pubescens*, 175-182, 283, 366  
     *villosus*, 283, 366  
*Dendrocygna autumnalis*, 97  
*Dendroica adelaidae*, 344  
     *coronata*, 76, 285  
     *discolor*, 252, 256, 258, 260, 344  
     *pennsylvanica*, 252  
     *petechia*, 252, 256, 258, 262-263, 285  
     *townsendi*, 77, 285  
 Diamond, Jared M., Distributional ecology and habits

- of some Bougainville birds (Solomon Islands), 14-23
- Dicaeum aenum*, 20, 23
- Dichromanassa rufescens*, 207
- Dickcissel, 201, 261
- Dipper, 284
- Diving-petrel, Magellanic, 218
- Dod, Annabelle, see Kepler, Angela K.
- Dolichonyx oryzivorus*, 105-106, 286
- Dollar Bird, 21-22
- Dove, Common Ground, 305, 344, 355
- Gray-headed, 306
- Ground, 344
- Mourning, 86, 209, 252, 256-257, 283
- Picui Ground, 98
- Plain-breasted Ground, 355-356
- Red-throated Fruit, 15, 17, 19, 22
- Ring, 403, 434-435
- Rock, 86
- Ruddy Ground, 305-306, 355
- Ruddy Quail, 344
- Rufous-brown Cuckoo, 21-22
- Scale-breasted Ground, 355
- Superb Fruit, 15, 17, 21-22
- Spotted, 107
- Yellow-bibbed Fruit, 15, 17, 22
- Dowitcher, 76
- Dryocopus martius*, 237
- pileatus, 283
- Duck, Australian Black, 22
- Black-bellied Tree-, 97
- Harlequin, 282
- Muscovy, 214
- Ring-necked, 282
- Ruddy, 206, 282, 340
- Wood, 286
- Ducula pistrinaria*, 17, 22
- rubricera, 17, 21-22
- Dulus dominicus*, 169-170
- Dumetella carolinensis*, 252-253, 262, 285, 301
- Dunlin, 73-78, 80-82
- Dunn, Erica H., The timing of endothermy in the development of altricial birds, 288-293
- Dunn, Erica H., Growth, body components and energy content of nestling Double-crested Cormorants, 431-438

## E

- Eagle, Bald, 200, 206, 208, 282, 337-338, 480, 494
- Black-and-white Hawk-, 512
- Golden, 133, 206-208, 282, 351-352
- Sanford's, 16, 22
- Easterla, David A., The Chestnut-collared Swift in the lowlands of Sinaloa, México, 352
- Eclectus roratus*, 21-22
- Edinger, Bruce, see Hardy, John William
- Egret, Cattle, 289, 353
- Reddish, 207
- Snowy, 107, 207
- Egretta thula*, 107, 207
- Elaenia pelzelni*, 99
- Elaenia*, Brownish, 99
- Greenish, 308
- Elaeus leucurus*, 78, 101, 133, 226-230
- Emberiza citrinella*, 233, 263, 381
- Emerald, Puerto Rican, 344
- Emlen, Stephen T., see Windsor, Donald
- Empidonax difficilis*, 1-13, 287
- hammondi, 1-13, 284
- minus, 10-11, 252, 284

- oberholseri, 11, 284
- trillii, 283
- virescens, 10-11
- wrightii, 11
- Empidonomus aurantioatrocristatus*, 462
- Endomychura craveri*, 500
- hypoleuca, 500
- Eos cardinalis*, 17, 22
- Eremophila alpestris*, 206, 213
- Erithacus rubecula*, 119, 237, 239
- Ervin, Stephen, Iris coloration in young Bushtits, 90-91
- Erythrura trichroa*, 20, 23
- Eudynamis scolopacea*, 21-22
- Eudyptes chrysocome*, 276
- chrysolophus, 276
- Eudyptula minor*, 276
- Eulampis jugularis*, 140, 217
- Euphagus carolinus*, 207
- cyanocephalus, 286, 331
- Euphonia gouldi*, 308-309
- Euphonia*, Olive-backed, 308-309
- Eurystomus orientalis*, 21-22
- Evans, Keith E., and Aaron N. Moen, Thermal exchange between Sharp-tailed Grouse (*Pediceetes phasianellus*) and their winter environment, 160-168

## F

- Falco columbarius*, 73-74, 77, 81-82, 282
- deiroleucus, 512
- femorialis, 512
- mexicanus, 133, 213-214, 351-352
- peregrinus, 107, 282, 485
- ruficularis, 512
- rusticolus, 206
- sparverius, 76, 82, 133, 206, 229, 282, 359-361
- tinnunculus, 480
- Falcon, Aplomado, 512
- Bat, 512
- Orange-breasted, 512
- Peregrine, 107, 282, 485
- Prairie, 133, 213-214, 351-352
- Fantail, Cockerell's, 16, 19, 22
- Rufous-fronted, 15-16, 18, 22
- Solomon Mountain, 14-15, 18-19, 22
- Feare, C. J., Post-fledging parental care in Crested and Sooty Terns, 368-370
- Ficedula albicollis*, 233, 237, 239
- Finch, Bengalese, 401
- Blue-faced Parrot-, 20, 23
- Cassin's, 286
- House, 76, 169, 173-174, 252, 257, 261, 375-384, 407-422
- Large Ground, 334, 355
- Large-footed, 294
- Patagonian Yellow-, 219
- Purple, 252
- Rosy, 119, 289, 291
- Zebra, 401
- Fleming, Chilean, 105
- Flicker, Common, 86, 206, 283, 366
- Red-shafted, 127
- Flycatcher, Acadian, 10-11
- Boat-billed, 307
- Collared, 233, 237, 239
- Dusky, 11, 284
- Gray, 11
- Great Crested, 11, 511
- Hammond's, 1-13, 284

- Kiskadee, 65, 307, 309  
 Least, 10-11, 252, 284  
 Olive-sided, 284  
 Ruddy-tailed, 308  
 Solomon Broad-billed, 16, 19, 22  
 Stolid, 344  
 Streaked, 305  
 Western, 1-13, 287  
 Willow, 283  
 Foliage-gleaner, Buff-throated, 307, 309  
     Cinnamon-rumped, 98  
 Foster, Mercedes S., The overlap of molting and breeding in some tropical birds, 304-314  
 Freese, Curtis H., Notes on nesting in the Double-striped Thick-knee (*Burhinus bistriatus*) in Costa Rica, 353-354  
 Fringilla coelebs, 119, 145, 233, 237, 239, 333, 381, 395-397, 402, 407  
 Fruitcrow, Purple-throated, 307, 309  
 Fulica americana, 74, 77, 80, 283, 325-326  
     armillata, 325  
     atra, 325  
     caribaea, 325  
     cornuta, 324  
     cristata, 325  
     gigantea, 324-327  
     leucoptera, 325  
     rufifrons, 325  
 Fulmar, Giant, 477

# G

- Gadwall, 286  
 Galbula chalcothorax, 98  
     leucogaster, 98  
 Gallinago media, 31  
 Gallinula chloropus, 314  
 Gallus gallus, 154-159, 214, 279, 403, 515  
 Garrulus glandarius, 237  
 Casaway, William C., Dan F. Holleman, and Robert C. White, Flow of digesta in the intestine and cecum of the Rock Ptarmigan, 467-474  
 Gauthreaux, Sidney A., see Able, Kenneth P.  
 Gavia immer, 281  
 Gelochelidon nilotica, 107  
 Geococcyx californianus, 173  
     velox, 314  
 Geocolaptes olivaceus, 314  
 Geoffroyus heteroclitus, 17, 22  
     simplex, 17  
 Geospiza conirostris, 332-335  
     fortis, 314, 332-335  
     fuliginosa, 314, 332-335  
     scandens, 314, 332-335  
     magnirostris, 334, 355  
 Geothlypis trichas, 252, 285, 294  
 Geotrygon frenata, 314  
     montana, 344  
 Gillett, William Humphrey, James L. Hayward, Jr., and John F. Stout, Effects of human activity on egg and chick mortality in a Glaucous-winged Gull colony, 492-495  
 Glaucidium brasilianum, 98  
     gnoma, 283  
     minutissimum, 98  
 Glowaciński, Zbigniew, see Weiner, January  
 Glyphorhynchus spirurus, 306  
 Gnateater, Chestnut-crowned, 513-514  
 Gnatwren, Long-billed, 308-309  
 Gochfeld, Michael, Hazards of tail-first fish-swallowing by young terns, 345-346  
 Godwit, Black-tailed, 98  
     Bar-tailed, 362  
     Hudsonian, 97, 355, 362  
     Marbled, 74, 76-77, 362  
 Goldeneye, Barrow's, 206, 282  
     Common, 282  
 Goldfinch, American, 214, 252, 256, 258, 260, 262-263, 286  
 Goose, Canada, 214, 286, 478-480  
     Kelp, 219  
     Upland, 218  
 Goshawk, 282  
 Grackle, Common, 86, 252, 256-257, 264  
     Great-tailed, 208-210, 289  
 Gracula religiosa, 400  
 Grant, P. R., see Abbott, Ian  
 Grassquit, Black-faced, 344  
 Gray, Lincoln, see Williamson, Penelope  
 Graybird, Black-bellied, 16, 18, 22  
 Grebe, Eared, 281  
     Horned, 281  
     Pied-billed, 281  
     Red-necked, 281  
     Western, 281  
 Greenfinch, 333  
 Greenlet, Lesser, 308-309  
 Grosbeak, Black-headed, 287-399  
     Evening, 286, 395  
     Pine, 286  
     Rose-breasted, 252, 256, 258, 399  
 Grouse, Blue, 282, 423-430  
     Red, 165, 428  
     Ruffed, 161, 283  
     Sharp-tailed, 160-168, 283  
     Spruce, 91-92, 282  
 Grubb, Thomas C., Jr., Weather-dependent foraging behavior of some birds wintering in a deciduous woodland, 175-182  
 Guillemot, Pigeon, 439, 492  
 Gull, Andean, 327  
     Black-headed, 221  
     Bonaparte's, 349-350  
     California, 339, 347-350  
     Dolphin, 219  
     Dominican, 219, 355  
     Franklin's, 355  
     Glaucous, 348  
     Glaucous-winged, 243, 249, 347-350, 488-495, 498  
     Great Black-backed, 477  
     Heermann's, 207, 243, 347-350  
     Herring, 221, 243, 247, 347-350, 436, 494-495, 498-499  
     Kelp, 219, 355  
     Lesser Black-backed, 498-499  
     Mew, 348  
     Ring-billed, 207, 286, 347-350  
     Sabine's, 349  
     Western, 243-249, 286, 347-350, 495, 498  
 Gymnophaps albertisii, 17  
     solomonensis, 15, 17, 22  
     Gymnophaps leucaspis, 307, 458  
 Gyrfalcon, 206

# II

- Habia rubica, 458  
 Hadow, Harlo H., see Crockett, Allen B.  
 Haematopus ater, 219  
     bachmani, 492

- leucopodus, 219  
ostralegus, 488  
Hailman, Jack P., see Waide, Robert B.  
Halcyon albonotata, 18  
bougainvillei, 18  
chloris, 18, 21-22  
leucopygia, 18, 22  
sancta, 21-22  
Haliaeetus leucocephalus, 200, 206, 208, 282, 337-338, 480, 494  
leucogaster, 16  
sanfordi, 16, 22  
Haliastur indus, 21-22  
Hardy, John William, Ralph J. Raitt, Jorge Orejuela, Thomas Webber, and Bruce Edinger, First observation of the Orange-breasted Falcon in the Yucatan peninsula of México, 512  
Harrier, Hen, 480  
Marsh, 480  
Montagu's, 480  
Harrington, Brian A., Pelagic gulls in winter off southern California, 346-350  
Harris, Michael P., Additions to the Galapagos avifauna, 355  
Haverschmidt, F., The Plain-breasted Ground Dove in Surinam, 355-356  
Hawfinch, 237, 239, 333  
Hawk, Broad-winged, 229  
Cooper's, 77, 82, 133, 282  
European Sparrow, 480  
Ferruginous, 351-352  
Galapagos, 480, 482  
Gray, 354  
Harris', 480, 483-485  
Marsh, 32, 77, 81-82, 206, 222, 287, 351, 480  
Pied, 16, 22  
Red-shouldered, 77, 133-139, 480  
Red-tailed, 77, 82, 127, 133-139, 282, 351, 480-482, 484  
Rough-legged, 338-339, 351-352  
Rufous-breasted, 16, 22  
Sharop-shinned, 77, 82, 133, 282  
Swainson's, 133, 282  
Hayward, James L., Jr., see Gillett, William Humphrey  
Helicolestes hamatus, 97  
Hemiprocne mystacea, 18, 22  
Hemithraupis flavicollis, 458  
Henderson, Bryan A., Role of the chick's begging behavior in the regulation of parental feeding behavior of *Larus glaucescens*, 488-492  
Heppner, Frank H., and Christopher Willard, Inverted flight in Canada Geese, 478-480  
Hermit, Long-tailed, 344  
Heron, Black-crowned Night, 107, 222  
Gray, 477  
Zigzag, 97  
Hesperiphona vespertina, 286, 395  
Hilty, Steven, Notes on a nest and behavior of the Chestnut-crowned Gnatcatcher, 513-514  
Hippolais icterina, 262-263  
Hirundo rustica, 42-43, 102, 106-107, 252, 256-257, 262-263, 284, 289, 362-364, 434-435  
tahitica, 21-22  
Histrionicus histrionicus, 282  
Holcomb, Larry C., Incubation patch fluctuation in Red-winged Blackbirds, 506-509  
Holleman, Dan F., see Gasaway, William C.  
Honeycreeper, Red-legged, 308  
Honey-eater, Bougainville, 20, 23  
Hornbill, Papuan, 21-22  
Howe, Marshall, A., Social interactions in flocks of courting Wilson's Phalaropes (*Phalaropus tricolor*), 24-33  
Howell, Thomas R., Bank Swallow (*Riparia riparia*), Bobolink (*Dolichonyx oryzivorus*), and other birds at a desert reservoir in Chile, 105-106  
Hummingbird, Allen's, 196-205  
Anna's, 196-197, 201-202, 217  
Black-chinned, 283  
Broad-tailed, 201, 361  
Calliope, 104, 201-203, 283  
Cinnamon, 216-217  
Purple-throated Carib, 150, 217  
Ruby-throated, 201-202  
Rufous, 196-205, 283  
Hylodichla mustelina, 10, 252, 256, 258, 260-261  
Hylophilus flavipes, 314  
minor, 308-309  
Hylophylax punctulata, 98  
Hypochera amauropteryx, 314  
Hypocnemis cantator, 458
- I**
- Ibis, Buff-necked, 218  
Icterus galbula, 216, 252-253, 287  
icterus, 344  
spurius, 201  
Incubator Bird, 16, 22  
Indicator minor, 314  
variegatus, 314  
Iridoprocne bicolor, 284, 289  
Ixoreus naevius, 73, 78, 285
- J**
- Jacamar, Bronzy, 98  
Jacana spinosa, 303  
Jaçana, Wattled, 303  
Jackdaw, 211  
Jay, Blue, 252-253, 259, 264, 517  
Gray, 284  
Steller's, 284  
Joyner, David E., Duck nest predation by gulls in relation to water depth, 339-341  
Junco hyemalis, 252, 286, 335, 399  
phaeonorus, 395, 399  
Junco, Arizona, 399  
Dark-eyed, 252, 286, 335, 399  
Mexican, 395  
Oregon, 395, 399  
Slate-colored, 399  
Junglefowl, Burmese Red, 279
- K**
- Kalinoski, Ronald, Intra- and interspecific aggression in House Finches and House Sparrows, 375-384  
Kepler, Angela K., Cameron B. Kepler, and Annabelle Dod, First nest record of the White-winged Crossbill in Hispaniola, 220-221  
Kepler, Cameron B., see Kepler, Angela K.  
Keppie, Daniel M., Clutch size of the Spruce Grouse, *Canachites canadensis franklinii* in southwest Alberta, 91-92  
Kestrel, American, 76, 82, 133, 206, 229, 282, 359-361  
European, 480  
Kiff, Lloyd F., Notes on southwestern Costa Rican birds, 101-103



- Kilgore, Delbert L., Jr., and Knut Schmidt-Nielsen,  
Heat loss from duck's feet immersed in cold  
water, 475-478
- Killdeer, 74-76, 78, 80, 86, 127, 283, 487-488
- Kingbird, Eastern, 252-253, 283
- Loggerhead, 344
- Western, 252-253, 283
- Kingfisher, Belted, 283
- Dwarf Forest, 22
- Green, 304
- River, 21-22
- Sacred, 21-22
- Ultramarine, 18, 22
- White-collared, 18, 21-22
- Kinglet, Golden-crowned, 285
- Ruby-crowned, 76, 285
- Kiskadee, Great, 65, 307, 309
- Kite, Brahminy, 22
- Everglade, 229
- Slender-billed, 97
- White-tailed, 78, 101, 133, 226-230
- Kittiwake, Black-legged, 347-349
- Knopf, F. L., Schedule of presupplemental molt of  
White Pelicans with notes on the bill horn,  
356-359
- Koel, 21-22
- Kroodasma, Donald E., Song patterning in the Rock  
Wren, 294-303
- Kuechle, V. B., see Siegfried, W. R.

## L

- Lagonosticta jamesoni, 314
- Lagopus lagopus, 165, 428
- leucurus, 206, 213
- mutus, 428, 467-474
- Lamm, Donald W., Symbiotic relationships within a  
mixed waterfowl assembly, 207
- Lamprospiza melanoleuca, 98
- Lanius collurio, 289, 291
- excubitor, 207
- Lanyon, Wesley E., Evidence of an incomplete pre-  
alternate molt in some South American  
Myiarchus flycatchers, 511
- Lark, Horned, 206, 213
- Larus argentatus, 221, 243, 247, 347-350, 436, 494-  
495, 498-499
- californicus, 339, 347-348
- canus, 348
- delawarensis, 207, 286, 347-350
- dominicanus, 219, 355
- fuscus, 498-499
- glaucescens, 243, 249, 347-348, 488-495, 498
- heermanni, 207, 243, 347-350
- hyperboreus, 348
- marinus, 477
- occidentalis, 243-249, 286, 347-350, 495, 498
- philadelphia, 349
- pipixcan, 355
- ridibundus, 221
- serranus, 327
- Laterallus exilis, 97
- Leck, Charles F., Notes on unusual and rare birds  
of St. Croix, 107
- Leistes militaris, 101-102
- Lemon, Robert E., How birds develop song dialects,  
385-406
- Lepidocolaptes souleyetti, 307
- Leptotila plumbeiceps, 306
- rufaxilla, 458
- verrauxi, 314

- Lessonia rufa, 106, 219
- Leucophaeus scoresbii, 219
- Leucosticte australis, 213
- tephrocotis, 119, 289, 291
- Lewis, Robert A., Reproductive biology of the White-  
crowned Sparrow (*Zonotrichia leucophrys*  
*pugetensis* Grinnell). I. Temporal organiza-  
tion of reproductive and associated cycles, 46-  
59
- Lewis, Robert A., Reproductive biology of the White-  
crowned Sparrow. II. Environmental control  
of reproductive and associated cycles, 111-124
- Limnodromus spp., 76
- Limosa fedoa, 74, 76-77, 362
- haemastica, 97, 355, 362
- lapponica, 362
- limosa, 98
- Lobipes lobatus, 24, 31-32, 76
- Locustella fluviatilis, 237
- Lonchura striata, 401
- Longspur, Lapland, 210, 288-289, 338
- Smith's, 207
- Loon, Common, 281
- Lophoceros alboterminatus, 314
- bradfieldi, 314
- deckeni, 314
- erythrorhynchus, 314
- flavirostris, 314
- nasutus, 314
- pallidirostris, 314
- Lophodytes cucullatus, 207, 282
- Lophortyx californicus, 127, 315-323
- gambeli, 169, 321, 484
- Lorikeet, Blue-eared, 15, 17, 21-22
- Duchess, 17, 22
- Meek's, 17, 22
- Lory, Cardinal, 17, 22
- Rainbow, 17, 21-22
- Loxia curvirostra, 221, 286
- leucoptera, 220-221, 286
- pytyopsittacus, 221
- Loxigilla portoricensis, 344
- Lunda cirrhata, 439
- Lurocalis semitorquatus, 101
- Luscinia luscinia, 237

## M

- Macaw, Chestnut-fronted, 98
- Red-bellied, 98
- MacDonald, S. D., see Parmelee, David F.
- MacRoberts, M. H., see Spray, C. J.
- Macronectes giganteus, 477
- Macropygia mackinlayi, 21-22
- Mader, William J., Extra adults at Harris' Hawk nests,  
482-485
- Magpie, Black-billed, 284
- Marion, Wayne R., and Ryder, Ronald A., Perch site  
preferences of four diurnal raptors in north-  
eastern Colorado, 350-352
- Mallard, 214, 281, 340, 475-478
- Manakin, Long-tailed, 307
- Margarops fuscatus, 344
- Marti, Carl D., and Clait E. Braun, Use of tundra  
habitats by Prairie Falcons in Colorado, 213-  
214
- Martin, Robert F., and Robert K. Selander, Mor-  
phological and biochemical evidence of hy-  
bridization between Cave and Barn swallows,  
362-364

- Martin, Gray-breasted, 102  
     Purple, 102  
 McFarlane, Robert W., Notes on the Giant Coot  
     (*Fulica gigantea*), 324-327  
 Meadowlark, Eastern, 252, 256, 258-259, 261, 306  
     Greater Red-breasted, 219  
     Western, 77, 286  
 Megaceryle alcyon, 283  
 Megadyptes antipodes, 276  
 Megapodius freycinet, 16, 22  
 Megarhynchus pitangua, 307  
 Melaenornis edolioides, 314  
 Melanerpes cruentatus, 458  
     formicivorus, 127, 342-343  
 Melanitta perspicillata, 206  
 Meleagrididae, 154  
 Meleagris gallopavo, 154-159, 283, 337, 358  
 Melospittacus undulatus, 381, 419  
 Melospiza lincolni, 286  
     melodia, 76, 145, 214, 252, 256, 258, 261-262,  
     264, 279, 286, 328, 397-398, 492  
 Melquist, Wayne E., see Schroeder, Gary J.  
 Merganser, Common, 282  
     Hooded, 207, 282  
     Red-breasted, 207  
 Mergus merganser, 282  
     serrator, 207  
 Merlin, 73-74, 77, 81-82, 282  
 Microcerculus marginatus, 308  
 Micropalama himantopus, 98, 107  
 Micropsitta bruijnii, 15, 22  
     finschii, 15, 17, 22  
 Midget, Solomon, 20, 23  
 Milvago chimachima, 101  
 Mimocichla plumbea, 344  
 Minus polyglottos, 169, 252, 257, 301-302, 344, 400,  
     488  
 Mino dumontii, 19-20, 23  
 Mniotilta varia, 344  
 Mockingbird, 169, 252, 257, 301-302, 344, 400, 488  
 Moen, Aaron N., see Evans, Keith E.  
 Molothrus ater, 86, 120, 250-269, 286, 289  
 Monarch, Chestnut-bellied, 16, 19, 22  
     Solomon Pied, 15, 19, 22  
 Monarcha barbata, 15, 19, 22  
     castaneiventris, 16, 19, 22  
     cinerascens, 19  
     frater, 19  
 Monasa morphoeus, 458  
     nigrifrons, 458  
 Morococcyx erythropygus, 304  
 Morton, Martin L., see Orejuela, Jorge E.  
 Munding, Paul, Song dialects and colonization in  
     the House Finch, *Carpodacus mexicanus*, on  
     the East Coast, 407-422  
 Murre, Common, 439, 446  
 Murrelet, Ancient, 500  
     Craveri's, 500  
     Japanese, 500  
     Kittlitz's, 500-501  
     Marbled, 500  
     Xantus', 500  
 Muscicapa hypoleuca, 488  
     striata, 237  
 Myadestes townsendi, 285  
 Myiagra ferrocyanea, 16, 19, 22  
 Myiarchus brachyurus, 302  
     caphalotes, 511  
     crinitus, 11, 511  
     stolidus, 344  
     swainsoni, 511  
     tuberculifer, 511  
     tyrannulus, 302  
 Myiodynastes maculatus, 307  
 Myiopagis viridicatus, 308  
 Myna, Common, 514-515  
     Indian Hill, 400  
     Papuan, 19-20, 23  
 Myrmeciza hyperthyra, 98, 458  
 Myrmotherula axillaris, 458  
     brachyura, 458  
     hauxwelli, 458  
     menetriesii, 458  
     schisticolor, 307  
 Myzomela Bougainville, 20, 23  
 Myzomela lefargei, 20, 23

## N

- Nectarinia jugularis, 20, 23  
 Negrito, Rufous-backed, 106, 219  
 Nesasio solomonensis, 18, 22  
 Nesospingus speculiferus, 344  
 Nighthawk, Common, 283  
     Semicollared, 101  
 Nightjar, European, 237  
     Rufous, 101  
 Ninox jacquinoti, 18, 22  
     novaeseelandiae, 18  
     odiosa, 18  
     rufa, 18  
     strenua, 18  
     theomacha, 18  
 Nisbet, I. C. T., Selective effects of predation in a  
     tern colony, 221-226  
 Noddy, Brown, 107  
 Nolan, Richard A., Alan H. Brush, Norman Arnheim,  
     and Allan C. Wilson, An inconsistency be-  
     tween protein resemblance and taxonomic re-  
     semblance: immunological comparison of  
     diverse proteins from gallinaceous birds, 154-  
     159  
 Nolan, Val, Jr., External differences between newly  
     hatched cuckoos (*Coccyzus americanus* and  
     *C. erythrophthalmus*), 341  
 Nucifraga columbiana, 284  
 Numenius americanus, 76  
     phaeopus, 21-22  
 Nutcracker, Clark's, 284  
 Nuthatch, 237, 239  
     Pygmy, 284, 366  
     Red-breasted, 284  
     White-breasted, 175-182, 284, 366  
 Nuttallornis borealis, 284  
 Nyctea scandiaca, 160, 502-506  
 Nycticorax nycticorax, 107, 222  
 Nyctidromus albigollis, 304

## O

- Oceanites gracilis, 355  
 Oceanodroma furcata, 444  
     leucorhoa, 439, 444-447  
     melania, 355  
 Ofelt, Courtland H., Food habits of nesting Bald  
     Eagle in southeast Alaska, 337-338  
 Oncostoma cinereigulare, 308  
 Oniki, Yoshika, Temperatures of some Puerto Rican  
     birds, with note of low temperatures in todies,  
     344  
 Oporornis tolmiei, 285



- Orejuela, Jorge E., and Martin L. Morton, Song dialects in several populations of Mountain White-crowned Sparrows (*Zonotrichia leucophrys oriantha*) in the Sierra Nevada, 145-153
- Oreopelia albigacies, 314
- Oriole, Northern, 216, 252-253, 287 Orchard, 201
- Oriolus oriolus, 237
- Osprey, 16, 22, 99-100, 107, 282
- Otus asio, 133, 287 nudipes, 107
- Ovenbird, 69
- Owings, Donald H., and Earl Handa, Shadows and detection of movement by a Burrowing Owl (*Speotyto cunicularia*), 501-502
- Owl, Barn, 78, 133 Barred, 287, 502-506 Burrowing, 133, 501-502 Fearful, 18, 22 Ferruginous Pygmy-, 98 Great Gray, 283 Great Horned, 80, 82, 133, 222, 224-226, 283, 502-506 Hawk-, 206, 287 Least Pygmy-, 98 Long-eared, 79-82, 133, 287 Puerto Rican Screech, 107 Pygmy, 283 Saw-whet, 78, 283 Screech, 133, 287 Short-eared, 73, 78-82, 133, 287 Snowy, 160, 502-506 Solomon Boobook, 18, 22 Striped, 101
- Oxyura jamaicensis, 206, 282, 340
- Oystercatcher, 488 Black, 492 Blackish, 219 Magellanic, 219

# P

- Pachycephala implicata, 15, 19, 22 pectoralis, 15-16, 19, 22
- Pachyrhamphus polychopterus, 307
- Page, G., and D. F. Whitacre, Raptor predation on wintering shorebirds, 73-83
- Pandion haliaetus, 16, 22, 99-100, 107, 282
- Panyptila cayennensis, 102
- Parabuteo galapagoensis, 480, 482 unincinctus, 480, 482
- Parakeet, Painted, 98 Tui, 98
- Parmelee, David F., and S. D. MacDonald, Recent observations of the birds of Isla Contra Maestra and Isla Magdalena, Straits of Magellan, 218-220
- Parrot, Eclectus, 21-22 Finsch's Pygmy, 15, 17, 22 Mountain Pygmy, 15, 22 Song, 17, 22 White-fronted, 350
- Partridge, Gray (or Hungarian), 283, 321
- Parula americana, 344
- Parula, Northern, 344
- Parus atricapillus, 175-182, 284 bicolor, 175-182 caeruleus, 233, 237-239, 263 cinctus, 206 gambeli, 284 hudsonicus, 284 inornatus, 294 major, 130, 237-239, 291 palustris, 237-238 rufescens, 284
- Passer domesticus, 86, 106, 173, 209, 211, 219, 252, 285, 289, 375-384, 402 montanus, 237, 239-240
- Passerculus sandwichensis, 76-77, 211, 240, 286
- Passerella iliaca, 215-216, 243, 286, 515
- Passerina amoena, 286, 509-510 cyanea, 252, 302, 395, 398, 509-510
- Pauraque, 306
- Pearson, David L., Range extensions and new records for bird species in Ecuador, Peru, and Bolivia, 96-99
- Pearson, David L., The relation of foliage complexity to ecological diversity of three Amazonian bird communities, 453-466
- Pedioecetes phasianellus, 160-168, 283
- Pelecanoides magellani, 218
- Pelecanus erythrorhynchus, 356-359 occidentalis, 207 onocrotalus, 358
- Pelican, Brown, 207 Great White, 358 White, 356-359
- Penguin, Adélie, 270-280, 335-337, 495 Chinstrap, 276 Emperor, 276 King, 276 Little Blue, 276 Magellanic, 218 Rockhopper, 276 Royal, 276 Yellow-eyed, 276
- Perdix perdix, 283, 321
- Perisoreus canadensis, 284
- Petrochelidon fulva, 362-364 pyrrhonota, 102, 284, 289, 364
- Petroica multicolor, 15, 19, 22
- Pewee, Eastern Wood, 10-11 Western Wood, 1-13, 284
- Pezites militaris, 219
- Pezopetes capitalis, 294
- Phaethon aethereus, 355 lepturus, 355
- Phaethornis superciliosus, 344
- Phainopepla nitens, 169-174
- Phalacrocorax albiventer, 218 aristotelis, 279, 431 atriceps, 218 auritus, 207, 289, 431-438 carbo, 243 magellanicus, 218 olivaceus, 218 pelagicus, 439, 492 penicillatus, 439, 443, 445-446, 448
- Phalarope, Northern, 24, 31-32, 76 Red, 28, 31, 76, 78 Wilson's, 24-33, 98, 105, 196, 283
- Phalaropus fulicarius, 28, 31, 76, 78 lobatus, 24 tricolor, 24-33
- Phasianus colchicus, 127, 154-159, 237, 283, 358, 467
- Pheasant, Ring-necked, 127, 154-159, 237, 283, 358, 467
- Pheucticus ludovicianus, 252, 256, 258, 399 melanocephala, 287, 399
- Phillips, Allan R., The migration of Allen's and other hummingbirds, 196-205

- Philomachus pugnax*, 24, 31  
*Philydor pyrrhodes*, 98  
*Phlegopsis nigromaculata*, 458  
*Phleocryptes melanops*, 106  
*Phoebe*, Eastern, 252, 253-256, 258, 262-264  
     Say's, 206  
*Phoenicopterus chilensis*, 105  
*Phyllastrephus fischeri*, 314  
     *flavistriatus*, 314  
*Phylloscopus collybita*, 119, 237  
     *sibilatrix*, 237  
     *trivirgatus*, 15, 18, 22  
*Piaya cayana*, 64, 458  
*Pica pica*, 284  
*Picoides arcticus*, 283  
     *tridactylus*, 283  
*Picus canus*, 233  
*Pigeon*, Domestic, 86, 289, 381  
     Gray, 17, 22  
     Red-knobbed, 17, 21-22  
     Solomon Crested, 15, 22  
     Solomon Mountain, 15, 17, 22  
     White-throated, 15, 22  
     Yellow-legged, 15, 22  
*Pinicola enucleator*, 286  
*Pintail*, 30, 281  
     Yellow-billed, 105  
     White-cheeked, 107  
*Pionites leucogaster*, 458  
     *melanocephala*, 458  
*Pipilo erythrophthalmus*, 183-195, 252, 256, 258, 261,  
     265, 287, 294, 395-396, 399  
     *fuscus*, 395, 399  
*Pipit*, Correndera, 219  
     Meadow, 435  
     Tree, 237, 239  
     Water, 76-77, 213, 285  
*Pipra fasciicauda*, 463  
*Pipreola riefferii*, 314  
*Piranga ludoviciana*, 286  
*Pitangus sulphuratus*, 65, 307, 309  
*Pitelka*, Frank A., see Custer, Thomas W.  
*Platypsaris aglaiae*, 221  
*Platyrinchus coronatus*, 98  
*Plectrophenax nivalis*, 210-212, 288-289  
*Ploceus cucullatus*, 131  
*Plover*, American Golden, 21-22, 105, 206  
     Black-bellied, 74, 76  
     Double-banded, 105  
     Puna, 105  
     Semipalmated, 105  
*Pluvialis dominica*, 21-22, 105, 206  
     *squatarola*, 74, 76  
*Podiceps auritus*, 281  
     *grisegena*, 281  
     *nigricollis*, 281  
*Podilymbus podiceps*, 281  
*Polyborus plancus*, 219  
*Pooecetes gramineus*, 252, 258, 261, 286, 289  
*Porphyrio porphyrio*, 17, 22  
*Porzana carolina*, 283  
*Power*, Dennis M., and James Rising, The Cattle  
     Egret in central Baja California, México, 253  
*Prather*, Irvine D., see Conner, Richard N.  
*Preston*, F. W., see Shott, A. R.  
*Prinia inornata*, 262-263  
*Progne chalybea*, 102  
     *subis*, 102  
*Protonotaria citrea*, 107  
*Psaltiriparus minimus*, 90-91  
*Ptarmigan*, Rock, 428, 467-474  
     White-tailed, 206, 213  
     Willow, 165, 428  
*Pterocles burchelli*, 314  
*Pteroglossus castanotis*, 458  
*Ptilinopus solomonensis*, 15, 17, 22  
     *superbus*, 15, 17, 21-22  
     *viridis*, 15, 17, 19, 22  
*Puffin*, Tufted, 439  
*Puffinus griseus*, 248, 439, 446  
*Pycnonotus barbatus*, 314  
     *goiavier*, 314  
     *xanthopygos*, 314  
*Pygiptila stellaris*, 458  
*Pygochelidon cyanooleuca*, 102  
*Pygoscelis adeliae*, 270-280, 335-337, 495  
     *antarctica*, 276  
*Pyrocephalus rubinus*, 462  
*Pyrrhula pyrrhula*, 305  
*Pyrrhuloxia*, 395-396, 400  
*Pyrrhura melanura*, 458  
     *picta*, 98
- ## Q
- Quail*, California, 127, 315-323  
     Gambel, 169, 321, 484  
     Japanese, 122, 473  
*Querula purpurata*, 307, 309  
*Quiscalus quiscula*, 86, 252, 256-257, 264
- ## R
- Raikow*, Robert J., The evolutionary reappearance of  
     ancestral muscles as developmental anomalies  
     in two species of birds, 514-517  
*Rail*, Plumbeous, 106  
*Raitt*, Ralph J., see Hardy, John William  
*Rallus sanguinolentus*, 106  
*Ralph*, C. John, see Robert, Henry C.  
*Ralph*, Carol Pearson, Life style of *Coccyzus pumilus*,  
     a tropical cuckoo, 60-72  
*Ramphocaelus melanurus*, 308-309  
*Ramphocelus passerinii*, 308  
*Raven*, Common, 134, 284, 517  
*Recurvirostra americana*, 31  
*Redhead*, 282, 340  
*Redstart*, American, 286, 344  
*Regulus calendula*, 76, 285  
     *regulus*, 237  
     *satrappa*, 285  
*Reinarda squamata*, 98  
*Reinwardtoena crassirostris*, 15, 22  
*Rhinopteryx clamator*, 101  
*Rhipidura cockerelli*, 16, 19, 22  
     *drownie*, 14-15, 18-19, 22  
     *fuliginosa*, 19  
     *leucophrys*, 19, 21-22  
     *nebulosa*, 19  
     *rufifrons*, 15-16, 18, 22  
     *rufiventris*, 19  
*Ricklefs*, Robert E., Patterns of growth in birds. III.  
     Growth and development of the Cactus Wren,  
     34-45  
*Riparia riparia*, 105-106, 284, 359-361, 509  
*Rising*, James, see Power, Dennis M.  
*Rissa tridactyla*, 347-349  
*Risser*, Arthur C., Jr., Experimental modification of  
     reproductive performance by density in captive  
     starlings, 125-132

- Roadrunner, 173  
 Robert, Henry C., and C. John Ralph, Effects of human disturbance on the breeding success of gulls, 495-499  
 Robin, American, 73, 86, 209, 252-253, 263, 285  
     Scarlet, 15, 19, 22  
 Rostrhamus sociabilis, 229  
 Rothstein, Stephen I., An experimental and teleonomic investigation of avian brood parasitism, 250-271  
 Rudd, Robert L., see Warner, J. Sauve  
 Ruff, 24, 31  
 Runnells, Steven R., Rose-throated Becard in Jeff Davis County, Texas, 221  
 Rushbird, Wren-like, 106  
 Rush-tyrant, Many-colored, 106  
 Ryder, Ronald A., see Marion, Wayne R.

# S

- Sage, Bryan L., Recent observations in the Wrangell Mountains, Alaska, 206-207  
 Salpinctes obsoletus, 285, 294-303  
 Sanderling, 30, 74, 76, 81-82, 107  
 Sandpiper, Baird's, 98, 105  
     Buff-breasted, 31  
     Common, 21-22  
     Least, 73-78, 80-82, 98  
     Pectoral, 24, 31, 77, 98  
     Solitary, 107  
     Spotted, 283  
     Stilt, 98, 107  
     Upland, 206  
     Western, 74, 76, 81-82  
     White-rumped, 24, 107, 219  
 Sapsucker, Red-naped, 365-368  
     Williamson's, 283, 365-368  
     Yellow-bellied, 283  
 Sayornis phoebe, 252, 255-256, 258, 262-264  
     saya, 206  
 Scardafella inca, 314  
 Scaup, Greater, 206  
     Lesser, 282  
 Schemske, Douglas W., Time budget and foraging site preference of the Cinnamon Hummingbird in Costa Rica, 216-217  
 Schmidt-Nielsen, Knut, see Kilgore, Delbert L., Jr.  
 Schroeder, Gary J., and Wayne E. Melquist, Intraspecific agonistic behavior of Ospreys (Pandion haliaetus), 99-100  
 Scoter, Surf, 206  
 Scott, J. Michael, see Wiens, John A.  
 Screamer, Southern, 97  
 Sealy, Spencer G., Egg size of Murrelets, 500-501  
 Seiurus aurocapillus, 69  
     motacilla, 107  
     noveboracensis, 285  
 Selander, Robert K., see Martin, Robert F.  
 Selasphorus platycercus, 201, 361  
     rufus, 196-205, 283  
     sasin, 196-205  
 Selenidera spectabilis, 306-307, 309  
 Serinus canaria, 382, 398  
     sharpei, 263  
 Serpophaga hypoleuca, 99  
 Setophaga ruticilla, 286, 344  
 Shag, 279, 431  
 Shearwater, Sooty, 248, 439, 446  
 Shott, A. R., and F. W. Preston, The surface area of an egg, 103-104  
 Shoveler, Northern, 31, 282  
 Shrike, Northern, 207  
     Red-backed, 289, 291  
 Sialia currucoides, 213, 285  
     mexicana, 76, 285  
 Sicalis lebruni, 219  
 Siegfried, W. R., R. L. Abraham, and V. B. Kuechle, Daily temperature cycles in Barred, Great Horned, and Snowy owls, 502-506  
 Sirystes sibilator, 460  
 Siskin, Pine, 286  
 Sitta canadensis, 284  
     carolinensis, 175-182, 284, 366  
     europea, 237, 239  
     pygmaea, 284, 366  
 Skua, Great, 219  
 Snipe, Common, 76, 283  
     Great, 31  
 Solitaire, Townsend's, 285  
 Sora, 283  
 Spadebill, Golden-crowned, 98  
 Sparrow, Brewer's, 287  
     Cassin's, 200  
     Chipping, 252, 256, 258, 262-264, 286, 289, 294, 395, 400  
     Field, 252, 289, 400  
     Fox, 215-216, 243, 286, 515  
     Golden-crowned, 47, 111-124, 397  
     Harris', 397  
     House, 86, 106, 173, 209, 211, 219, 252, 285, 289, 375-384, 402  
     Lincoln's, 286  
     Olive, 308  
     Rufous-collared (or Andean), 67, 106, 145, 147, 303, 314, 364, 395, 397, 407  
     Savannah, 76-77, 211, 240, 286  
     Song, 76, 145, 214, 252, 256, 258, 261-262, 264, 279, 286, 328, 395, 397-398, 492  
     Tree, 239, 289  
     Vesper, 252, 258, 261, 286, 289  
     White-crowned, 46-59, 77, 111-124, 145-153, 286, 289, 294, 395-396, 407  
     White-throated, 333, 395-396  
 Speotyto cunicularia, 133, 501-502  
 Spheniscus magellanicus, 218  
 Sphyrapicus thyroideus, 283, 365-368  
     varius, 283, 365-368  
 Spinus pinus, 286  
     tristis, 214, 252, 256, 258, 260, 262-263, 286  
 Spiza americana, 201, 261  
 Spizastur melanoleucus, 512  
 Spizella arborea, 239, 289  
     breweri, 287  
     passerina, 252, 256, 258, 262-264, 286, 289, 294, 395, 400  
     pusilla, 252, 289, 400  
 Spray, C. J., and M. H. MacRoberts, Notes on molt and juvenile plumage in the Acorn Woodpecker, 342-343  
 Springer, Alan, M., Observations on the summer diet of Rough-legged Hawks from Alaska, 338-339  
 Spurr, E. B., Behavior of the Adélie Penguin chick, 270-280  
 Spurr, E. B., Orientation of Adélie Penguins on their territories, 335-337  
 Starling, 84-89, 119, 125-132, 252, 256-257, 261, 285, 381, 435, 517  
     Brown-winged, 19-20, 23  
     Metallic, 19-21, 23  
     Singing, 19-22

- Steatornis caripensis*, 314  
*Steganopus tricolor*, 24-33, 98, 105, 196, 283  
*Stelgidopteryx ruficollis*, 102, 252, 256-257, 261, 284  
*Stellula calliope*, 104, 201-203, 283  
 Stepnsy, P. H. R., First recorded breeding of the Great-tailed Grackle in Colorado, 208-210  
*Sterna bergii*, 21-22, 368-369  
     *dougallii*, 107, 222  
     *forsteri*, 229  
     *fuscata*, 221, 369, 494-495  
     *hirundinacea*, 219  
     *hirundo*, 100, 221-226, 345-346  
     *paradisaea*, 100  
     *sandvicensis*, 368  
*Storm-petrel*, Black, 355  
     Fork-tailed, 444  
     Leach's, 439, 444-447  
     White-vented, 355  
 Stout, John F., see Gillett, William Humphrey  
 Strauch, Joseph G., Jr., A specimen of the Yellow-headed Blackbird from the Panama Canal Zone, 355  
 Strauch, Joseph G., Jr., Observations at a nest of the Black-and-white Hawk-eagle, 512  
*Streptopelia chinensis*, 107  
     *risoria*, 403, 434-435  
     *semitorquata*, 314  
     *turtur*, 237  
*Streptoprocne zonaris*, 102  
*Stresemannia bougainvillei*, 15, 20, 23  
*Strix nebulosa*, 283  
     *varia*, 287, 502-506  
*Sturnella magna*, 252, 256, 258-259, 261, 306  
     *neglecta*, 77, 286  
*Sturnus vulgaris*, 84-89, 119, 125-132, 237, 252, 285, 381, 435, 517  
*Sula dactylatra*, 289  
 Sunbird, Yellow-breasted, 20, 23  
*Surnia ulula*, 206, 287  
 Swallow, Bank, 105-106, 284, 359-361, 509  
     Barn, 42-43, 102, 106-107, 252, 256-257, 262-263, 284, 289, 362-364, 434-435  
     Blue-and-white, 102  
     Cave, 362-364  
     Cliff, 102, 284, 289, 364  
     Pacific, 21-22  
     Rough-winged, 102, 252, 256-257, 261, 284  
     Tree, 284, 289  
     Violet-green, 284  
 Swampphen, Purple, 17, 22  
 Swift, Band-rumped, 102  
     Black, 102, 287  
     Chestnut-collared, 102, 352  
     Fork-tailed Palm-, 98  
     Lesser Swallow-tailed, 102  
     Mustached, 18, 22  
     Short-tailed, 98  
     Spot-fronted, 101  
     Vaux's, 102, 287  
     White-chinned, 102  
     White-collared, 102  
     White-throated, 287  
 Swiftlet, Glossy, 18, 21-22  
     Vanikoro, 18, 21-22  
     White-rumped, 18, 22  
*Sylvia atricapilla*, 237  
     *borin*, 237  
*Synallaxis albescentis*, 314  
*Synthliboramphus antiquus*, 500  
     *wumizusume*, 500  
*Tachuris rubrigastra*, 106  
*Tachycineta thalassina*, 284  
*Tachyphonus luctuosus*, 458  
     *rufus*, 308-309  
*Taeniopygia guttata*, 401  
 Tanager, Bay-headed, 308  
     Blue-gray, 308  
     Puerto Rican, 344  
     Red-billed Pied-, 98  
     Rufous-winged, 308  
     Scarlet-rumped, 308  
     Western, 286  
     White-lined, 308-309  
*Tangara arthus*, 314  
     *chilensis*, 458  
     *gyrola*, 308  
     *labradorides*, 314  
     *lavinia*, 308  
     *mexicana*, 458  
     *schrunkii*, 458  
     *xanthocephala*, 314  
 Tasmanian Native Hen, 69  
 Teal, Blue-winged, 210, 282  
     Cinnamon, 282, 340  
     Green-winged, 282  
     Puna, 105, 327  
     Speckled, 105  
*Telmatodytes palustris*, 239-240, 285, 294, 301-302, 328, 434-435, 484  
*Terenotriccus erythrurus*, 308  
 Tern, Arctic, 100  
     Black, 283, 355  
     Common, 221-226, 345-346  
     Crested, 21-22, 368-369  
     Elegant, 368  
     Forster's, 229  
     Gull-billed, 107  
     Roseate, 107, 222  
     Royal, 368  
     Sandwich, 107, 368  
     Sooty, 221, 369, 494-495  
     South American, 219  
*Thalasseus bergii*, 368-369  
     *elegans*, 368  
     *maximus*, 368  
     *sandvicensis*, 107, 368  
*Thamnomanes ardesiacus*, 458  
     *caesius*, 99, 460  
*Thamnophilus bridgesi*, 307  
     *doliatus*, 314  
*Theristicus caudatus*, 218  
 Thick-knee, Double-striped, 353-354  
 Thrasher, Bendire's, 484  
     Brown, 214, 252-253, 263, 294, 301  
     Curve-billed, 484  
     Pearly-eyed, 344  
*Thraupis episcopus*, 308-309  
     *palmarum*, 458  
*Threnetes leucurus*, 463  
 Thrush, Hermit, 10, 21, 252, 285  
     Island, 15, 22  
     Mistle, 298, 400  
     Olive-backed, 210, 285  
     Red-legged, 344  
     Song, 237, 239, 301  
     Swainson's, 210, 285  
     Varied, 73, 78, 285  
     Wood, 10, 252, 256, 258, 260-261  
*Thryomanes bewickii*, 301

- Thryothorus genibarbus, 314  
guarayanus, 458  
ludovicianus, 301  
Tiaris bicolor, 344  
Tinamous, Bartlett's, 97  
Thicket, 303  
Tit, Blue, 233, 237-239, 263  
Great, 130, 237-239, 291  
Marsh, 237-238  
Titmouse, Plain, 294  
Tufted, 175-182  
Tityra inquisitor, 307, 309  
semifasciata, 307  
Tityra, Black-crowned, 307, 309  
Masked, 307  
Todus mexicanus, 344  
Tody, Puerto Rican, 344  
Toucanet, Yellow-eared, 306, 309  
Towhee, Brown, 395, 399  
Rufous-sided, 183-195, 252, 256, 258, 261, 265,  
287, 294, 395-396, 399  
Toxostoma bendirei, 484  
curvirostra, 484  
rufum, 214, 252-253, 263, 294, 301  
Trachyphonus darnaudii, 314  
Treecreeper, Short-toed, 400  
Tribonyx mortierii, 69  
Trichoglossus haematodus, 17, 21-22  
Tringa flavipes, 98, 105  
hypoleucos, 21-22  
melanoleuca, 76, 98, 105, 206  
solitaria, 107  
Trogodytes aedon, 106, 252, 284, 289, 301-302  
trogodytes, 30, 237, 285, 301  
Trogon citreolus, 306  
massena, 306, 309  
Trogon, Citreoline, 306  
Slaty-tailed, 306, 309  
Tropicbird, Red-billed, 355  
White-tailed, 355  
Troupial, 344  
Tryngites subruficollis, 31  
Turdoides jardineii, 314  
Turdus merula, 233, 237, 239, 400  
migratorius, 73, 86, 209, 252-253, 263, 285  
musicus, 237  
philomelos, 237, 239, 301  
poliocephalus, 15, 22  
viscivorus, 298, 400  
Turkey, 154-159, 283, 337, 358  
Turnstone, Black, 76, 485  
Ruddy, 31, 219  
Tyrannulet, River, 99  
Tyrannus caudifasciatus, 344  
melancholicus, 314, 462  
tyrannus, 252-253, 283  
verticalis, 252-253, 283  
Tyto alba, 78, 133

# U

- Upupa epops, 314  
Uria aalge, 439, 446

# V

- Veery, 10, 252, 285  
Veniliornis affinis, 458  
Vermivora celata, 285  
peregrina, 285  
ruficapilla, 285

- Verner, Jared, Interspecific aggression between Yel-  
low-headed Blackbirds and Long-billed Marsh  
Wrens, 328-331  
Vidua macroura, 314  
nigerrima, 314  
paradisaea, 314  
Vini margarethae, 17, 22  
meeki, 17, 22  
placensis, 15, 17, 21-22  
Vireo gilvus, 285  
latimeri, 344  
olivaceus, 252, 256, 258, 261, 285, 268  
solitarius, 285  
Vireo, Puerto Rican, 344  
Red-eyed, 252, 256, 258, 261, 285, 298  
Solitary, 285  
Warbling, 285  
Vulture, Turkey, 133

# W

- Wagtail, Willie, 19, 21-22  
Waide, Robert B., and Hailman, Jack P., Different  
head-scratching attempts in a one-legged gull  
and parrot, 350  
Walsberg, Glenn E., Digestive adaptations of Phaino-  
pepla nitens associated with the eating of  
mistletoe berries, 169-174  
Warbler, Adelaide's, 344  
Black-and-white, 344  
Chestnut-sided, 252  
Great Reed, 18, 22  
Kirtland's, 264  
Leaf, 15, 18, 22  
MacGillivray's, 285  
Nashville, 285  
Orange-crowned, 285  
Prairie, 252, 256, 258, 260, 344  
Prothonotary, 107  
River, 308  
Tennessee, 285  
Townsend's, 77, 285  
Wilson's, 285  
Yellow, 252, 256, 258, 262-263, 285  
Yellow-rumped, 76, 285  
Warner, J. Sauve, and Robert L. Rudd, Hunting by  
the White-tailed Kite (Elanus leucurus), 226-  
230  
Waser, Nickolas M., and William A. Calder, Possible  
impairment of nest-building by hummingbirds  
by acetate leg-tags, 361  
Waterthrush, Louisiana, 107  
Northern, 285  
Waxwing, Bohemian, 287  
Cedar, 169-170, 252-253, 255, 258, 263, 285  
Weaverbird, African Village, 131  
Webber, Thomas, see Hardy, John William  
Webster, J. Dan, The Fox Sparrow in southwestern  
Yukon and adjacent areas, 215-216  
Weiner, January, and Zbigniew Głowaciński, Energy  
flow through a bird community in a deciduous  
forest in southern Poland, 233-242  
West, Steve, Gray Hawk feeding on worm lizard, 354  
Weydemeyer, Winton, Half-century record of the  
breeding birds of the Fortine, Montana area:  
Nesting data and population status, 280-287  
Whimbrel, 21-22  
Whistler, Golden, 15-16, 19, 22  
Solomon Mountain, 15, 19, 22  
Whitacre, D. F., see Page, G.  
White, Robert G., see Gasaway, William C.

- White-eye, Solomon Gray-throated, 15, 20, 23  
 Solomon Yellow-throated, 15-16, 20, 23
- Whitmore, Robert C., Indigo Buntings in Utah with special reference to interspecific competition with Lazuli Buntings, 509-510
- Wiens, John A., and J. Michael Scott, Model estimates of energy flow in Oregon coastal seabird populations, 439-452
- Wigeon, American, 282
- Wiley, James W., The nesting and reproductive success of Red-tailed Hawks and Red-shouldered Hawks in Orange County, California, 1973, 133-139
- Wiley, James W., Three adult Red-tailed Hawks tending a nest, 480-482
- Willard, Christopher, see Heppner, Frank H.
- Willet, 24, 74, 76-77
- Williamson, Penelope, and Lincoln Gray, Foraging behavior of the Starling (*Sturnus vulgaris*) in Maryland, 84-89
- Wilson, Allan C., see Nolan, Richard A.
- Wilsonia pusilla, 285
- Windsor, Donald, and Emlen, Stephen T., Predator-prey interactions of adult and prefledgling Bank Swallows and American Kestrels, 359-361
- Wittenberger, James F., An albinistic Marbled Godwit: a first record, 362
- Wolf, Larry L., "Prostitution" behavior in a tropical hummingbird, 140-144
- Woodcreeper, Barred, 306  
 Buff-throated, 307, 309, 458  
 Long-tailed, 99  
 Streak-headed, 307  
 Striped, 98  
 Wedge-billed, 306
- Woodpecker, Acorn, 127, 342-343  
 Blackbacked Three-toed, 283  
 Downy, 175-182, 283, 366  
 Grey-headed, 233  
 Hairy, 283, 366  
 Lesser Spotted, 233, 237  
 Lewis', 283  
 Northern Three-toed, 283  
 Pileated, 283
- Wren, Bewick's, 301  
 Cactus, 34-45, 289, 301, 434

- Canyon, 301  
 Carolina, 301  
 Grass, 219, 301  
 House, 106, 252, 284, 289, 301-302  
 Long-billed Marsh, 239-240, 285, 294, 301-302, 328, 434-435, 484  
 Nightingale, 308  
 Rock, 285, 294-303  
 Short-billed Marsh, 219, 301  
 Winter, 30, 237, 285, 301

## X

- Xanthocephalus xanthocephalus, 252, 256-257, 261, 286, 328-331, 355
- Xema sabini, 349
- Xenops minutus, 307
- Xenops, Plain, 307
- Xiphorhynchus guttatus, 307, 309, 458  
 obsoletus, 98  
 triangularis, 314

## Y

- Yellowhammer, 233, 263, 381
- Yellowlegs, Greater, 76, 98, 105, 206  
 Lesser, 98, 105
- Yellowthroat, Common, 252, 285, 294

## Z

- Zebrius undulatus, 97
- Zenaida macroura, 86, 209, 252, 256-257, 283
- Zonotrichia albicollis, 333, 395-396  
 atricapilla, 47, 111-124, 397  
 capensis, 67, 106, 145, 147, 303, 314, 364, 395, 397, 407  
 leucophrys, 46-59, 77, 111-124, 145-153, 286, 289, 294, 395-396, 407  
 querula, 397
- Zosterops lateralis, 20, 380
- metcalfei, 15-16, 20, 23
- ugiensis, 15, 20, 23
- Zwickel, Fred C., Nesting parameters of Blue Grouse and their relevance to populations, 423-430



